## Arkansas Steel Associates, LLC



2803 Van Dyke Road Newport, Arkansas 72112 U.S.A. Tel. No. (870) 523-3693 Fax. No. (870) 523-4619

January 6, 2016

Environmental Protection Agency Office of Federal Activities International Compliance Assurance Division (2254A) 1200 Pennsylvania Avenue, N.W. Washington, D.C. 20460

CERTIFIED MAIL A.D.E.Q. #7012 1010 0003 0025 4118 Certified Mail to U.S.E.P.A. # 7012 1010 0003 0026 9303

ATTENTION:

Hazardous Waste Exports

Gentlemen:

The purpose of this letter is to comply with 40 CFR 262.56 and 262.87(a) Annual Reporting, and offer the following information as requested:

Exporter Arkansas Steel Associates, L.L.C. Facility ID# ARD091691261 2803 Van Dyke Road Newport, Arkansas 72112 Calendar Year 2) Calendar year covered by this report, 2015 Foreign Consignee 3) Zinc Nacional, S.A. Serafin Pena Sur 938 Monterrey N.L. Mexico 64000 Waste Description 41 Flue dust, Iron or Steel containing Recoverable zinc. EPA Hazardous Waste Code K-061 DOT Hazard Class ORM-E UN 3077, Class 9, PGIII, ERG #171, U.S. EPA ID# of transporter, NED001792910, (U.P. Railroad). Total amount of waste shipped in 2015 10,312,100 and total number of

Toxicity Volume

5) Toxicity has not changed as compared to previous years. 2012 average zinc content was 18.11%. 2013 average zinc content was 17.38%. 2014 average zinc content 16.19%. 2015 average zinc content was 18.59%

shipments were 59.

TQM... The Challenge For Today
The Goal For Tomorrow

SAIL 1/21/2016

Hazardous Waste Exports Page 2

Toxicity

Volume

Certification

Tadashi Inami

President

Billy E. Ferguson Manager, Environment

Sincerely,

cc: Ar. Dept. of Environmental Quality Hazardous Waste Division

5301 Northshore Drive

North Little Rock, AR 72118-5317

Certified Mail #7012 1010 0003 0025 4118

These slight changes occur due to variations in the scrap (raw material) mix in the melting process of steel.


Volume has increased by 1,553,500 lbs in 2015, as compared to 2014, K-061 flue dust is generated through the normal production process of steel in electric arc furnaces and controlled solely by production demands of steel facilities products.


No efforts were undertaken to reduce the volume of toxicity as there is no technology currently known to achieve this; however, recycling the material has been chosen as the most environmentally sound method available to Arkansas Steel Associates, L.L.C.

6)

I certify under penalty of law that I have personally examined and am familiar with the information submitted in this and all attached documents, and that based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the submitted information, is true and accurate, and complete. I am aware that there are significant penalties for submitting false information including possibility of fine and imprisonment.

Tadashi Inami President, A.S.A., L.L.C.





2



Route **EPA Mail** 

To: FEDERAL ACTIVITIES

Mailstop: ARIEL RIOS NORHT

Department: 2254A

Certified

